



## Material Safety Data Sheet

### 1. Product and company identification

#### PRODUCT

**Product name:** *Flexible packages – coated and uncoated*

**Application of the substance:** *Packing for transport and storage*

#### COMPANY

Plastchim – T AD  
97 Khan Asparuh Str  
9450 Tervel  
BULGARIA  
Tel: +359 52 76 58 11  
Fax: +359 52 69 99 85  
E-mail: [office@plastchim-t.com](mailto:office@plastchim-t.com)  
[www.plastchim-t.com](http://www.plastchim-t.com)

### 2. Hazards identification

#### 2.1. Product classification

This product is not classified as dangerous under Regulation (EC) № 1272/2008.

This product according 1907/2006/EC not classified as hazardous.

#### 2.2. Label elements

Not necessarily the product to be labeled in accordance with EC regulations or the national laws.

#### 2.3. Other hazards

If handled with proper care and at intended use, the product does not cause any harmful effects

#### Potential physical / chemical effects

Thermal burn hazard - contact with hot material may cause thermal burns. Material can accumulate static charges that may cause an ignition.

#### Potential health effects

Low order of toxicity. No adverse effects due to inhalation are expected.

#### Skin Contact:

The contact with hot molten material may cause severe burns

- Eye Contact:** May cause irritation on corneal injury due to mechanical contact. If heated to 400 °C, the product may form vapors or fumes which may cause irritation to the eye.
- Ingestion:** The materials are biologically inert. Swallowing may induce choking or blockage of the gastrointestinal tract.
- Environmental Impact:** The product is biologically inert.
- Inhalation:** If heated to 400 °C, the product may form vapors or fumes which may cause irritation to the respiratory tract.
- Physico-Chemical Hazards:** The material is combustible if exposed to flames. Handling of material may create electrical charges and sparks which may be a cause of ignition for other flammable materials.

### 3. Composition/ information on ingredients

Component Name	CAS No.	Proportion (%)
Polypropylene (PP)	9003-07-0 Polypropylene	( 90 - 99% )
Polyethylene (PE)	9002-88-4 Polyethylene	( 0 - 10 % )
<b>Hazardous Components</b>	No reportable hazardous substance(s) or complex substance(s)	
<b>Physical State</b>	Solid	
<b>Form</b>	Flat fabric	
<b>Colour</b>	White or color	
<b>Odour</b>	None	

### 4. First aid measures

- Information:** At room temperature the product is not irritant and have failed off dangerous fumes. All measures below apply to critical situations (Fire, incorrect process conditions).
- Inhalation:** In case of adverse exposure to dust and / or vapors formed at elevated temperatures or burns, immediately remove the affected person from the room. Apply artificial respiration if breathing has stopped. Get medical advice if necessary.
- Skin contact:** Direct contact with the product does not lead to skin irritation. If there is a contact with the hot material, the molten material with the skin should be cooled as quickly as possible with water, and to obtain medical assistance for removal of adhering material and treatment of burns.
- Ingestion:** No adverse effects due to ingestion are expected. If necessary, seek medical advice.

**Eye contact:** Polypropylene and Polyethylene are not dangerous but can cause eye irritation due to their mechanical action. When flakes or dust particles into contact with eyes, rinse eyes with water. If an eye irritation persists, seek medical attention.

## 5. Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media:** Water haze, carbon dioxide (CO<sub>2</sub>), foam, dry chemical, halon, water spray (mist) only to cool the surfaces exposed to the fire.

**Unsuitable extinguishing media:** Do not use water jets (stick jets) for extinguishing fire, since they could help to spread the flames.

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:** Polypropylene will burn if exposed to flames, giving off harmful fumes, which should not be inhaled. Heat value – 8 000 – 10 000 kcal/kg. carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO). If the fire is big (temperature is between 400 °C and 700 °C) the formation of hydrocarbons and aldehydes is possible.

### 5.3 Advice for firefighters

**Use protective equipment:** Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA).

## 6. Accidental release measures

Cut off the fire source. Collect the fabric to avoid any slipping and falling of personnel on the floor. It is recommended that the wearing of personal protective equipment for eye protection and protective gloves are worn at all times during filling and loading. Packaging waste to be collected in labeled container and provide safe disposal / recycling.

## 7. Handling and storage

**Information for safe handling** No special requirements necessary, if handled at room temperature. Do not leave pieces of fabric on the ground, as this can cause slipping and falling.

**Storage** Keep in dry indoors, away from heat, direct sunlight, UV radiation and temperature between 0-40 °C. Do not smoke.

**Fire-fighting measures** Cut off the fire source.

## 8. Exposure controls and personal protection

**General protective and hygienic measures** During normal handling protective gloves and the usual protective equipment are recommended. No special requirements under ordinary.

**Respiratory Protection** No special requirements under normal use and must provide adequate ventilation.

**Specific Hygiene Measures** Do not eat or drink while working. No smoking.

**Hand Eye Skin and Body Protection** Recommended protective glasses and gloves to wear during filling and loading. If there is a risk of contact with hazardous chemical material can wear chemical resistant gloves and clothing.

## 9. Physical and chemical properties

**Form:** Flat flexible fabric  
**Colour:** White or color  
**Odour:** Odourless  
**Melting point:** 160-165 °C  
**Ignition temperature:** > 400 °C  
**Danger of explosion:** Product is not explosive  
**Density at 20 °C:** 0.91 g/cm<sup>3</sup>  
**Solubility in water:** Insoluble

## 10. Stability and reactivity

**Thermal decomposition / conditions to be avoided:** The product is stable at normal handling and storage conditions.

**Materials to be avoided:** Strong oxidation agent

**Dangerous reactions** No dangerous reactions known

**Dangerous products of decomposition:** No hazardous decomposition products known

## 11. Toxicological information

**Primary irritant effect:**

**On the skin:** No irritant effect

**On the eyes:** No irritant effect

**Sensitization:** No sensitizing effect known

Total heavy metal content (Pb, Hg, Cd, Cr6) of all Flexible packages is lower than 100 ppm.

## 12. Ecological information

**Toxicity** The product is not toxic

**Persistence and degradability** The product is not biodegradable

**Bioaccumulative** There is no bioaccumulation potential.

**Mobility in soil** The product is not mobility in soil

**Ecological information:** The product can float on water. The product is not environmentally dangerous according EEC Directives, small particles can have physical effects on water and soil organisms.

## 13. Disposal considerations

**Disposal recommendation:** The material can be re-used or recycled according to official regulations. Disposal must be done according to all regulations.

## 14. Transport information

According to national and international guidelines, which regulate the road-, rail-, air- and seatrtransport, this product is classified as not dangerous.

## 15. Regulatory information

The material is not subject to classification according to EC lists and other sources of literature known to us. Observe the normal safety regulations when handling chemicals.

## 16. Other information

The information supplied has been based upon the current level of information available, for the purpose of specifying the requirements regarding environment, health and safety in conjunction with the product. They are not to be interpreted as a warranty for specific product characteristics.

**Edition 1 / Last updated: 10.11.2021**